

Welcome to Studworks

Studworks is a business that specialises in the supply of premium quality zinc coated metal profile sections and associated accessories, specifically to meet the requirements of the construction industry.

Studworks is committed to supplying the highest quality products to our customers at competitive prices.

Studworks products have significant advantages over alternative timber products as they are true, strong, durable, lightweight, and termite resistant.

Studworks has a large warehousing facility centrally located in Clayton, near the intersection of Clayton and Dandenong Roads

This facility provides us with the capacity to store and offer our customers an extensive range of products including;

- Ceiling Profiles
- Wall Profiles
- Finishing Profiles
- Clips and Accessories
- Access Panels

Accounts (for all account establishments and enquiries)

Studworks is ready to establish your trade account and take your order now.

This can be arranged by downloading an account application form from our website, completing and emailing it to accounts@studworks.com.au.

Studworks reserves the right to determine a trade account as COD or terms payment.

New accounts and/or enquiries about current accounts can be made by;

Telephone (trading hours only): +61 3 8516 1553
Facsimile (any hours): +61 3 9546 3533
Email (any hours): accounts@studworks.com.au
orders@studworks.com.au

Payment Terms



Studworks require payment in full prior to the despatch of any order/s, unless trading terms have been established with pre-approved customers.

The payment in full options available to customers are;

Cash:

Bank Cheque: made payable to: Studworks Profile Systems Pty Ltd

Direct Funds Transfer to: Studworks Profile Systems Pty Ltd
National Australia Bank Limited BSB: 083-547 Account: 33-106-5917
(please note that cleared funds must be in this account prior to the order/s being dispatched)


Credit Card (fees may apply):  

Where trading terms have been established with pre-approved customers, payment in full will be required 30 days from invoice date.






Trading Hours

Monday to Friday 7.00am to 4.00pm (excluding designated Victorian public holidays)

"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.


Ceiling Profiles	BMT	Number per Pack		Lengths and Weights		Product Codes
	mm	Sub	Full	mm	kg	
16mm Ceiling Batten 	0.50	10	100	4800	1.44	CB-055-016-4800
	0.50	10	100	6000	1.80	CB-055-016-6000
16mm Furring Channel						
	0.50	12	100	3000	1.05	FC-055-016-3000
	0.50	12	100	3600	1.26	FC-055-016-3600
	0.50	8	100	4800	1.68	FC-055-016-4800
	0.50	8	100	6000	2.10	FC-055-016-6000
28mm Furring Channel						
	0.55	12	100	2700	1.35	FC-055-028-2700
	0.55	12	100	3000	1.50	FC-055-028-3000
	0.55	12	100	3600	1.80	FC-055-028-3600
	0.55	8	100	4800	2.40	FC-055-028-4800
	0.55	8	100	6000	3.00	FC-055-028-6000
Furring Channel (batten) Track						
	16mm	10	100	3000	0.70	FCT-055-016-3000
	28mm	10	100	3000	0.98	FCT-055-028-3000
25mm Top Cross Rail						
	0.75	10	100	3600	1.90	TCR-075-025-3600
	0.75	10	100	4800	2.54	TCR-075-025-4800
5mm Suspension Rod						
	5	N/A	45	3600	1.05	SR-005-3600

"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.


Wall Profiles	Size	Number per Pack		Weight	Available Lengths (mm)		Product Codes
.55 gauge Studs	mm	Sub	Full	kg plm	from	to	
	51	10	100	0.52	2700	3600	ST-055-051-(length)
	64	10	100	0.60	2700	4200	ST-055-064-(length)
	76	10	100	0.66	3000	4200	ST-055-076-(length)
	92	10	100	0.73	2700	4200	ST-055-092-(length)
<p>**Studs can also be sourced at 0.75mm and 1.15mm BMT. 150mm studs can also be sourced. Longer lengths available by special order.</p>							
92mm Acoustic Stud	BMT	Number per Pack		Weight	Lengths and Weights		Product Codes
	mm	Sub	Full	kg each	mm	kg	
	0.55	10	100	3.10	3000	3.55	ST-AC-092-3000
	0.55	10	100	3.72	3600	4.25	ST-AC-092-3600
	0.55	10	100	4.34	4200	4.96	ST-AC-092-4200
Flexible Track	Size	Number per Pack		Weight	Lengths and Weights		Product Codes
	mm	Sub	Full	kg each	mm	kg	
	64	10	100	2.0	3000	1.90	FTR-055-064-3000
	76	10	100	2.2	3000	2.10	FTR-055-076-3000
	92	10	100	2.3	3000	2.30	FTR-055-092-3000
Track (hemmed)	Size	Number per Pack		Weight	Lengths and Weights		Product Codes
	mm	Sub	Full	kg each	mm	kg	
	51.00	10	100	1.50	3000	1.58	TR-055-051-3000
	64.00	10	100	1.62	3000	1.76	TR-055-064-3000
	76.00	10	100	1.75	3000	1.91	TR-055-076-3000
	92.00	10	100	1.90	3000	2.02	TR-055-092-3000
<p>**150mm Track Can be sourced at 0.75mm and 1.15mm BMT</p>							
Deflection Track (hemmed)	Size	Number per Pack		Weight	Lengths and Weights		Product Codes
	mm	Sub	Full	kg each	mm	kg	
	64.00	10	100	2.8	3000	2.27	DT-075-064-3000
	76.00	10	100	3.0	3000	2.44	DT-075-076-3000
	92.00	10	100	3.3	3000	2.67	DT-075-092-3000
<p>**150mm Deflection Track Can be sourced at 0.75mm and 1.15mm BMT</p>							


"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.

Wall Profiles	Size	Spacing	Number per Pack		Lengths and Weights		Product Codes
	mm	mm	Sub	Full	mm	kg	
	64mm	450.00	10	100	3600	2.70	NT-075-064-45-3600
	64mm	600.00	10	100	3600	2.70	NT-075-064-60-3600
	76mm	450.00	10	100	3600	3.10	NT-075-076-45-3600
	76mm	600.00	10	100	3600	3.10	NT-075-076-60-3600
	92mm	450.00	10	100	3600	3.50	NT-075-092-45-3600
	92mm	600.00	10	100	3600	3.50	NT-075-092-60-3600
	**150mm Nogging Track can also be sourced						

Top Hat 50mm x 35mm	BMT	Number per Pack		Lengths and Weights		Product Codes
	mm	Sub	Full	mm	kg	
	0.75	4	N/A	6000	2.52	TH-075-050-6000
	Other sizes and gauges of Top Hat can be sourced					

Utility Angle	Size	BMT	Number per Pack		Lengths and Weights		Product Codes
	mm	mm	Sub	Full	mm	kg	
	35	0.40	20	20	2400	0.40	PA-050-035-2400
	35	0.70	20	20	3600	1.50	PA-070-025-2400
	50	0.70	20	20	3600	2.20	PA-070-050-3600

Access Panel Flanged	BMT	Panel Size	Number per Pack	Product Codes
	mm	mm		
	NA	300 x 300	1	APF-30
		450 x 450	1	APF-45
		550 x 550	1	APF-55
		600 x 600	1	APF-60




Stopping				
	NA	300 x 300	1	APS-30
		450 x 450	1	APS-45
		550 x 550	1	APS-55
		600 x 600	1	APS-60




MDF DOOR PANELS ALSO AVAILABLE IN BOTH PUSH LOCK AND BUDGET LOCK - CUSTOM SIZES ALSO AVAILABLE

"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.

Finishing Profiles	BMT	Number per Pack		Lengths and Weights		Product Codes
90° Ext Corner Stopping Angle	mm	Sub	Full	mm	kg	
	0.40	10	50	2400	0.28	EA-90-2400
	0.40	10	50	2550	0.29	EA-90-2550
	0.40	10	50	2700	0.31	EA-90-2700
	0.40	10	50	3000	0.35	EA-90-3000
	0.40	10	50	3600	0.42	EA-90-3600
90° Int Corner Stopping Angle						
	0.40	10	50	3000	0.35	IA-90-3000
	0.40	10	50	3600	0.42	IA-90-3600
EXPANSION JOINT 10mm x 3m						
	N/A	N/A		3000	1.00	EJ-10-3000
EXPANSION JOINT - PVC x 3.0m						
	N/A	N/A	50	3000	0.35	EJ-PVC-3.0m
"L" Bead	Size	Number per Pack		Lengths and Weights		Product Codes
	mm	Sub	Full	mm	kg	
	6	20	80	3000	0.33	SB-6-3000
	10	20	80	3000	0.33	SB-10-3000
	13	20	80	3000	0.33	SB-13-3000
	16	20	80	3000	0.33	SB-16-3000
	30	20	80	3000	0.33	SB-30-3000
Shadowline Stopping Bead						
	6	20	80	3000	0.41	SSB-06-3000
	10	20	80	3000	0.41	SSB-10-3000
Tearaway "L" Bead - PVC						
	0	N/A	50	3000	0.25	Flat Finish
	6	N/A	50	3000	0.28	SB-PVC-TEAR 6mm
	10	N/A	50	3000	0.30	SB-PVC-TEAR 10mm
	13	N/A	50	3000	0.32	SB-PVC-TEAR 13mm


"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.

Finishing Profiles	Size	Number per Pack		Lengths and Weights		Product Codes
Tearaway Shadowline Bead PVC	mm	Sub	Full	mm	kg	
	6	6	50	3000	0.28	SSB-6-3000
	10	10	50	3000	0.30	SSB-10-3000
Stop Casing Bead	Size	Available Lengths				Product Codes
	mm	2400	2700	3000	3600.00	
	10			✓	✓	SCB-10-3000
	13			✓	✓	SCB-13-3000
Casing Bead						
	10			✓	✓	CAB-10-3000
	13			✓	✓	CAB-13-3000











Door Profiles & End Caps	BMT	Number per Pack		Lengths and Weights		Product Codes
Door Jamb Rebate 112mm	mm	Sub	Full	mm	kg	
	0.75	N/A	-----	3000		WRB-DJR
U CHANNEL 32mm						
	0.75	N/A	-----	3000		WRB-UC-32-3000
End Cap 112 & 118mm						
	0.75	N/A	-----	3000		WRB-EC-3000

Variations in Profile size can be sourced on all Door Profiles & End Caps








"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.

Finishing Profiles	Size	Number per Pack		Lengths and Weights			Product Codes
	mm	Sub	Full	mm		kg plm	
Window Reveal Bead Custom sizes also available 	20			3000	3600	0.23	WRB-20-(length)
	25			3000	3600	0.25	WRB-25-(length)
	30			3000	3600	0.27	WRB-30-(length)
	35			3000	3600	0.30	WRB-35-(length)
	40			3000	3600	0.33	WRB-40-(length)
	45			3000	3600	0.36	WRB-45-(length)
	50			3000	3600	0.39	WRB-50-(length)
	55			3000	3600	0.42	WRB-55-(length)
	60			3000	3600	0.44	WRB-60-(length)
	65			3000	3600	0.47	WRB-65-(length)
	70			3000	3600	0.50	WRB-70-(length)
	75			3000	3600	0.53	WRB-75-(length)
	80			3600	3600	0.56	WRB-80-(length)
	85			3000	3600	0.58	WRB-85-(length)
	90			3000	3600	0.61	WRB-90-(length)
	95			3000	3600	0.64	WRB-95-(length)
	100			3000	3600	0.67	WRB-100-(length)
	105			3000	3600	0.70	WRB-105-(length)
	110			3000	3600	0.72	WRB-110-(length)
	115			3000	3600	0.75	WRB-115-(length)
	120			3000	3600	0.78	WRB-120-(length)
125			3000	3600	0.80	WRB-125-(length)	
130			3000	3600	0.83	WRB-130-(length)	
140			3000	3600	0.89	WRB-140-(length)	
150			3000	3600	0.95	WRB-150-(length)	
160			3000	3600	1.00	WRB-160-(length)	
170			3000	3600	1.10	WRB-170-(length)	
180			3000	3600	1.20	WRB-180-(length)	
190			3000	3600	1.30	WRB-190-(length)	
200			3000	3600	1.40	WRB-200-(length)	

"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.

Clips and Accessories	BMT	Number per Pack		Weight per Pack (kg)		Product Codes
	mm	Sub	Full	Sub	Full	
Ceiling Batten Clip Standard						
	NA	100	-----	2.40	-----	CBHC-WST
	NA	-----	600	-----	14.40	
Ceiling Batten Clip Long						
	NA	100	-----	4.00	-----	CBHC-WLO
	NA	-----	400	-----	16.00	
Suspension Hanger (purlin)						
	NA	100	-----	1.80	-----	SH-PU
	NA	-----	400	-----	7.20	SH-PU
Suspension Hanger (concrete)						
	NA	100	-----	1.80	-----	SH-CO
	NA	-----	400	-----	7.20	SH-CO
TCR Suspension Clip						
	NA	100	-----	2.90	-----	TCR-SC
	NA	-----	400	-----	11.60	TCR-SC
TCR Suspension Clip (sidemount)						
	NA	100	-----	2.00	-----	TCR-SM
	NA	-----	400	-----	8.00	TCR-SM
TCR to FC Locking Key						
	NA	100	-----	2.12	-----	TCR-FCLK
	NA	-----	500	-----	10.60	TCR-FCLK
TCR to FC Locking Key Acoustic						
	NA	100	-----	6.20	-----	TCR-FCLKA
	NA	-----	250	-----	15.50	TCR-FCLKA
Beta Fix Clip Acoustic						
	NA	100		6.00	-----	BFC-AC
			400		24.00	BFC-AC
Purlin to FC Clip Acoustic						
	NA	150	-----	19.50	-----	FC-DFC-A

"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.

Clips and Accessories	BMT	Number per Pack		Weight per Pack (kg)		Product Codes
	mm	Sub	Full	Sub	Full	
FC Clip (direct fix)						
	NA	100	500	2.70	13.5	FC-DFC
FC Clip (direct fix - threaded)						
	N/A	100	500	3.80	19.0	FC-DFC T
FC "A" Clip Short (75mm)						
	NA	100	-----	2.70	-----	FCDFC-ST
	NA	-----	400	-----	10.80	FCDFC-ST
FC "A" Clip Long (175mm)						
	NA	100	-----	7.00	-----	FCDFC-LO
	NA	-----	400	-----	28.00	FCDFC-LO
Beta Fix Clip standard						
	NA	100	-----	4.30	-----	BFC-ST
	NA	-----	400	-----	17.20	BFC-ST
Beta Fix Clip Long						
	NA	100	-----	6.40	-----	BFC-LO
	NA	-----	400	-----	25.60	BFC-LO
	Studworks also stock an extensive range of accessory items which include; Fixings, Sanding items, Tapes, Adhesives, etc.					

"BMT" stands for "Base Material Thickness". "Weights" are an approximate guide only and are based on a single product length or pack. Light grey shaded products are not stocked, and these would be subject to a special order where lead times will apply. Studworks terms and conditions apply.